# **IXC-150 DATA SHEET**

No.	Ву	Chk	App	Date	Description	Doc. No.	:: DS-1813-00		Rev.: 1
1	СН	CS	ТВ	6/13/19	Incorporated Design Changes for 100%	Project Name:	TSCR		
						Project Number:	18-13	<b>Λ</b> Δ\.	/ANTochy
						Location:	Richland, WA		ANTechi (Control of the Control of t
								]	
						Tag: POR655-WP-I	X-400A/B/C		

		DESIGN / C	PERATING REQUI	REMENTS					
1	Service : Pressure Vessel, Code Stamped	Proc	ess Contents & Ope	rating Parameters: Salt	Waste. See Note	e 2, HVAC Conditioned Enviroment			
2	Design Press. @ Temp Internal (at top):	400 psig	@		80 °F	ΔP Across Internals: 3 psi			
		II Vacuum psig		1	80 °F	S. G of Process Fluid: 1.27			
4	Min. Design Metal Temperature (MDMT):	-20 °F			50 psig	Design Liquid Level: 100%			
5	Operating Pressure - Internal:	120 psig			77 °F	Head Joint Efficiency: 0.7			
6	Min. Operating Temperature:	60 °F			77 psig	Shell Joint Efficiency: 0.7			
7		00 1			77 psig	Shell Joint Efficiency. 0.7			
8	Corrosion Allowance: No, See Note 3 Shell and Heads: 0 In.	MAWP Basis: 450 psi in RPP-CALC-62465  Corrosion Allowance: No, See Note 3 Shell and Heads: 0 In. Nozzles: 0 In. Internals: 0 In.							
9	Cyclic Service: Yes, See Note 1	Lethal Servi	so: N/A	10022163.	U III.	Internals: 0 In.  Code Case(s): 2732-1			
	<u> </u>	Lettiai Sei vi	ce. N/A	Dosign Life: FO years	C+o.	• • • • • • • • • • • • • • • • • • • •			
10				Design Life: 50 years		mping: Yes			
11	National Board Registration : Yes	<u> </u>		Letna	al Stamp: N/A	0.0 "			
12	Capacity (Cavity Volume): Full: 162.6 gallons		Operating:			2.6 gallons			
	Cavity Height: 94" Cavity Diameter: 23" Cooling Core Diameter: 4		Cooling Core H		Height: 92"	Bed Diameter: 23"			
14	Bed Volume: 159.1 gallons Internal Piping Volume: 1			olume: 157.5 gallons		Refer to DS-1813-06			
15	Wind: N/A Exposure: N/A	Basic Wind S	Speed: N/A		In	nportance Factor: N/A			
16	Seismic: SDC-2, LS-C Importan	ice Factor: 1.5				Soil Profile Type: Site Class D			
		INSP	ECTION AND TEST	NG					
17	Radiography: RPP-SPEC-61910	Ultra	sonic: RPF	-SPEC-61910					
18	Magnetic Particle: N/A	Char	py Impact:	Per ASME Code	a	t -20 °F			
19	Liquid Penetrant: RPP-SPEC-61910	Hard	ness: RPP-SPEC-6	1910					
20	Hydrotest: 585 psi @ 1 Hour	Futu	re Field Test: N/A	1					
21	Min. Hydrotest Temperature: 32 °F								
		APPLICABLE SP	ECIFICATIONS AND	STANDARDS					
22	Specifications: RPP-SPEC-61910								
23									
	Safety Class: Safety Significant								
24	Standards: ASME B&PV Section VIII, Div. 1, 2017 Edition & ASTM B	29 for Lead Sille	eiding Acceptance i	esting					
25	Drawings: H-14-111250, H-14-111255		MATERIALS						
			WATERIALS		Nan Danasana D				
				External	Non-Pressure P	Internal			
26	Pressure Parts	5424	0.204/2041	External					
26	Plate: SA240 316/316L		0 304/304L	2		SA240 316/316L			
27	Forgings: SA182 F316/316L, SA403 WP316/316L		2 F316/316L, SA40	3 WP316/316L		SA182 F316/316L, SA403 WP316/316L			
28	Pipe & Tube: SA312 TP316/316L		2 TP316/316L			SA312 TP316/316L			
29	Bolts & Studs: SA193 GRADE B8 or B8M CLASS 1		л F593			N/A			
30	Nuts: N/A	N/A	·			N/A			
31	Rod & Bar: SA276 316/316L	SA27	6 316/316L			SA276 316/316L			
32	Weld Fittings: SA182 F316/316L, SA403 WP316/316L	SA18	2 F316/316L, SA40	3 WP316/316L		SA182 F316/316L, SA403 WP316/316L			
33	Structural Shapes: SA240 316/316L, SA276 316/316L	SA24	0 316/316L, SA276	316/316L		SA240 316/316L, SA276 316/316L			
34	Shielding: N/A	Cast	Lead for Side and T	op Shielding, ASTM B29		N/A			
			FABRICATION						
35	Weld Pressure Joint Requirements: RPP-SPEC-61910	Seal	Weld Internal Parts	to Pressure Boundary:		Yes			
36	Post Weld Heat Treatment: RPP-SPEC-61910 PWHT Basis: Per ASME Code								
37	Internal Coating: N/A	•							
38	Surface Preparation: RPP-SPEC-61910								
39	External Coating: RPP-SPEC-61910								
33			APPURTENANCES						
40	Lifting Lugs: See H-14-111250, H-14-111255	Tailir	ng Lug: N/A			Vessel Davit: N/A			
	<u> </u>		ng Lug: N/A Suides: RPP-SPEC-6	1910		Vessel Davit: N/A Grounding Lugs: N/A			
40	<u> </u>		uides: RPP-SPEC-6	1910 N/A	Suppor	Grounding Lugs: N/A			

# **IXC-150 DATA SHEET**

No.	Ву	Chk	Арр	Date	Description	Doc. No.	:: DS-1813-00	Rev.: 1
1	СН	CS	ТВ	6/13/19	Incorporated Design Changes for 100%	Project Name:	TSCR	
						Project Number:	18-13	 /ANTechi
						Location:	Richland, WA	ORPORATEDD
						Tag: POR655-WP-I	X-400A/B/C	

	PRELIMINARY LOADS (TO BE CONFIRMED BY SELLER)								
44	Weights (lbs):	Shipping: 25,000	Erection: 24,346	Empty: 24,346	Operating: 26,790	Field Test: 24,346			
45	Wind:	Shear at Base =	N/A	Moment at Base =	N/A				
46	Seismic:	Shear at Base =	14,199 lbs	Moment at Base =	148,511 ft-lbs				

## Notes:

# 1. Cyclic Loading of IX Column

	Min	Max	Frequency / Design Life
Design Pressure	0 psig	400 psig	5
Operating Pressure	0 psig	100 psig	198
Operating Temperature	60 F	120 F	198
Contents Specific Gravity	1.0	1.35	-

## 2. Operating Parameters:

Design Pressure: 400 psi @ 180 F

Nominal Waste Feed Flowrate: 5 gpm Waste Feed

Nominal Superficial Velocity: 1.8 gpm/ft^2 (4.41 m^3/(h•m^2))

Nominal Waste Displacement Flowrate: Approx. 7 gpm 0.1M NaOH

Nominal Rinse Flowrate: Approx. 7 gpm Soft Water Nominal Drying Flowrate: 30 cfm Compressed Air

3. Corrosion Allowance is 0 in. The IXC-150 is only in service for a short time period and therefore any corrosion associated with the vessel is considered negligible.